

IN THE CLAIMS

Please amend the claims as follows:

1.-3. (Canceled)

4. (Currently Amended) A method for a wireless device capable of communicating over a wireless network and having operating software for supporting a computer platform on said wireless device capable of executing applications, comprising:

booting-up the wireless device, said booting-up including initializing said wireless device for normal communications over the wireless network;

after said booting-up, remotely receiving a recall command ~~identifying a specific application~~ including a unique application identification for a targeted application available for execution on said computer platform of said wireless device; and

responsive to said remote recall command, uninstalling said ~~specific~~ targeted application without requiring end-user interaction.

5. (Currently Amended) The method of claim 4, wherein the recall command comprises an identification of said ~~specific~~ targeted application and an instruction for causing said wireless device to delete said ~~specific~~ targeted application.

6. (Previously presented) The method of claim 5, wherein the recall command is sent to the wireless device via a short message service (SMS) message.

7.-8. (Canceled)

9. (Currently Amended) The method of claim 5, wherein said step of uninstalling comprises:

searching a database on said wireless device using said unique application identification to determine an address range corresponding to said ~~specific~~ targeted application; and

deleting contents of said address range.

10. (Currently Amended) A ~~method for a server which recalls a targeted to cause a recall of a specific~~ application installed on a subset of wireless devices selected from a set of wireless devices; ~~each wireless device in said set capable of communicating over a wireless network~~; said server capable of communicating with the set of wireless devices over said a wireless network, the method server comprising:

~~maintaining~~ a database for identifying each application installed on each wireless device of said set;

a processor which searches ~~searching~~ said database to identify said subset of wireless devices having said ~~specific targeted~~ application installed; and

a communication interface which sends ~~sending~~ an application recall command including a unique application identification for the targeted application to each wireless device in said subset which initiates uninstalling said ~~specific targeted~~ application without requiring user interaction on the wireless devices.

11. (Currently Amended) The method server of claim 10, wherein each recall command comprises ~~an identification of said specific application and~~ an instruction for causing one of said wireless devices from said subset of wireless devices to delete said ~~specific targeted~~ application.

12.-19. (Canceled)

20. (Currently Amended) The method server of claim 11, wherein the recall command is sent to the wireless device via a short message service (SMS) message.

21. (Currently Amended) The method of claim 5, wherein each recall command further comprises:

a uninstall application, which when executed by a wireless device, deletes said specific targeted application.

22. (Currently Amended) The ~~method~~ server of claim 10, wherein each recall command further comprises:

a uninstall application, which when executed by a wireless device, deletes said ~~specific~~ targeted application.

23. (Cancel)

24. (Cancel)

25. (Currently Amended) A method for a wireless device capable of communicating over a wireless network and having operating software for supporting a computer platform on said wireless device capable of executing applications, comprising:

booting-up the wireless device, said booting-up including initializing said wireless device for normal communications over the wireless network;

after said booting-up, remotely receiving a recall message including a unique application identification for a targeted application; and

responsive to said remote recall message, checking-in with a server on said wireless network to determine whether to uninstall ~~one or more applications~~ the targeted application on said wireless device without requiring end-user interaction.